

Publikationen

Kraake S, Pabst A, Wiese B, Moor L, König HH, Hajek A, Kaduszkiewicz H, Scherer M, Stark A, Wagner M, Maier W, Werle J, Weyerer S, Riedel-Heller SG, Stein J. Profiles of met and unmet care needs in the oldest-old primary care patients with depression - results of the AgeMooDe study. *J Affect Disord.* 2024 Apr 1;350:618-626. doi: 10.1016/j.jad.2024.01.138. Epub 2024 Jan 19. PMID: 38244789.

Engels A, Stein J, Riedel-Heller SG, Konnopka C, König HH. The development of suicide risk in people with severe mental disorders during the first year of the COVID-19 pandemic: a claims-based cohort study. *Soc Psychiatry Psychiatr Epidemiol.* 2023 Nov 23. doi: 10.1007/s00127-023-02584-z. Epub ahead of print. PMID: 37996604.

Engels A, Stein J, Riedel-Heller SG, König HH, Konnopka C. Temporal and spatial changes in the provision of mental health care during the COVID-19 pandemic in Germany: a claims-based cohort study on patients with severe mental disorders. *Soc Psychiatry Psychiatr Epidemiol.* 2024 May;59(5):789-797. doi: 10.1007/s00127-023-02571-4. Epub 2023 Oct 13. PMID: 37831078; PMCID: PMC11087346.

Stein J, Riedel-Heller SG. Health in old age - status quo, challenges, and opportunities. *J Health Monit.* 2023 Sep 20;8(3):3-6. doi: 10.25646/11668. PMID: 37829117; PMCID: PMC10565701.

Buczak-Stec EW, Hajek A, Pabst A, Brettschneider C, van den Bussche H, Wiese B, Weyerer S, Werle J, Hoell A, Pentzek M, Fuchs A, Luppa M, Löbner M, Stein J, Förster F, Weeg D, Mösch E, Heser K, Scherer M, Maier W, Angermeyer MC, Wagner M, Riedel-Heller SG, König HH. Frequency and gender differences in the use of professional home care in late life. Findings from three German old-age cohorts. *Front Med (Lausanne).* 2022 Sep 2;9:924818. doi: 10.3389/fmed.2022.924818. PMID: 36117967; PMCID: PMC9478461.

Buczak-Stec EW, Löbner M, Stein J, Stark A, Kaduszkiewicz H, Werle J, Heser K, Wiese B, Weyerer S, Wagner M, Scherer M, Riedel-Heller SG, König HH, Hajek A. Depressive Symptoms and Healthcare Utilization in Late Life. Longitudinal Evidence

From the AgeMooDe Study. *Front Med (Lausanne)*. 2022 Jul 22;9:924309. doi: 10.3389/fmed.2022.924309. PMID: 35935803; PMCID: PMC9354619.

Hussenoeder FS, Conrad I, Pabst A, Luppa M, Stein J, Engel C, Zachariae S, Zeynalova S, Yahiaoui-Doktor M, Glaesmer H, Hinz A, Witte V, Wichmann G, Kirsten T, Löffler M, Villringer A, Riedel-Heller SG. Different Areas of Chronic Stress and Their Associations with Depression. *Int J Environ Res Public Health*. 2022 Jul 19;19(14):8773. doi: 10.3390/ijerph19148773. PMID: 35886625; PMCID: PMC9315834.

Löbner M, Stein J, Luppa M, Bleckwenn M, Mehnert-Theuerkauf A, Riedel-Heller SG. What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to Reduce Depressive Symptoms in Their Patients. *Int J Environ Res Public Health*. 2022 May 19;19(10):6203. doi: 10.3390/ijerph19106203. PMID: 35627739; PMCID: PMC9142114.

Zuelke AE, Luppa M, Löbner M, Pabst A, Schlapke C, Stein J, Riedel-Heller SG. Effectiveness and Feasibility of Internet-Based Interventions for Grief After Bereavement: Systematic Review and Meta-analysis. *JMIR Ment Health*. 2021 Dec 8;8(12):e29661. doi: 10.2196/29661. PMID: 34889769; PMCID: PMC8701663.

Stein J, Löbner M, Pabst A, Riedel-Heller SG. Unmet needs of the oldest old primary care patients with common somatic and psychiatric disorders-A psychometric evaluation. *Int J Methods Psychiatr Res*. 2021 Sep;30(3):e1872.

Welzel FD, Löbner M, Quittschalle J, Pabst A, Luppa M, Stein J, Riedel-Heller SG. Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention. *Internet Interv*. 2021 Sep 7;26:100451. doi: 10.1016/j.invent.2021.100451. PMID: 34540595; PMCID: PMC8437767.

Hajek A, Luppa M, Brettschneider C, van der Leeden C, van den Bussche H, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Löbner M, Stein J, Weeg D, Bickel

H, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. Correlates of institutionalization among the oldest old-Evidence from the multicenter AgeCoDe-AgeQualiDe study. *Int J Geriatr Psychiatry*. 2021 Jul;36(7):1095-1102. doi: 10.1002/gps.5548. Epub 2021 Apr 2. PMID: 33772875.

Hajek A, Brettschneider C, Lühmann D, van den Bussche H, Wiese B, Mamone S, Weyerer S, Werle J, Leve V, Fuchs A, Röhr S, Stein J, Bickel H, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, Pentzek M, König HH. Correction to: Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe-AgeQualiDe prospective cohort study. *Aging Clin Exp Res*. 2021 Jul 5. doi: 10.1007/s40520-021-01920-0. Epub ahead of print. Erratum for: *Aging Clin Exp Res*. 2020 Jan 31;: PMID: 34224088.

Welzel FD, Bär J, Stein J, Löbner M, Pabst A, Luppia M, Grochtdreis T, Kersting A, Blüher M, Luck-Sikorski C, König HH, Riedel-Heller SG. Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. *BMC Fam Pract*. 2021 Apr 2;22(1):61. doi: 10.1186/s12875-021-01404-0. PMID: 33794781; PMCID: PMC8017625.

Schladitz K, Löbner M, Stein J, Weyerer S, Werle J, Wagner M, Heser K, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, Oey A, König HH, Hajek A, Riedel-Heller SG. Grief and loss in old age: Exploration of the association between grief and depression. *J Affect Disord*. 2021 Mar 15;283:285-292. doi: 10.1016/j.jad.2021.02.008. Epub 2021 Feb 4. PMID: 33578340.

Gühne U, Dorow M, Grothe J, Stein J, Löbner M, Dams J, Coast J, Kinghorn P, König HH, Riedel-Heller SG. Valuing end-of-life care: translation and content validation of the ICECAP-SCM measure. *BMC Palliat Care*. 2021 Feb 8;20(1):29. doi: 10.1186/s12904-021-00722-5. PMID: 33557792; PMCID: PMC7871540.

Thoma MV, Kleineidam L, Forstmeier S, Maercker A, Weyerer S, Eisele M, van den Bussche H, König HH, Röhr S, Stein J, Wiese B, Pentzek M, Bickel H, Maier W, Scherer M, Riedel-Heller SG, Wagner M. Associations and correlates of general

versus specific successful ageing components. *Eur J Ageing*. 2020 Dec 12;18(4):549-563. doi: 10.1007/s10433-020-00593-4. PMID: 34786016; PMCID: PMC8563891.

Quittschalle J, Stein J, Luppa M, Pabst A, Löbner M, Koenig HH, Riedel-Heller SG. Internet Use in Old Age: Results of a German Population-Representative Survey. *J Med Internet Res*. 2020 Nov 23;22(11):e15543. doi: 10.2196/15543. PMID: 33226351; PMCID: PMC7685698.

Stein J, Löbner M, Pabst A, König HH, Riedel-Heller SG. Unmet care needs in the oldest old with social loss experiences: results of a representative survey. *BMC Geriatr*. 2020 Oct 20;20(1):416. doi: 10.1186/s12877-020-01822-2. PMID: 33081693; PMCID: PMC7576733.

Hajek A, Enzenbach C, Stengler K, Glaesmer H, Hinz A, Röhr S, Stein J, Riedel-Heller SG, König HH. Determinants of Willingness to Pay for Health Insurance in Germany-Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). *Front Public Health*. 2020 Aug 28;8:456. doi: 10.3389/fpubh.2020.00456. PMID: 32984246; PMCID: PMC7485392.

Pabst A, Löbner M, Stein J, Luppa M, Kersting A, König HH, Riedel-Heller SG. Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. *Front Psychiatry*. 2020 Jul 24;11:735. doi: 10.3389/fpsyg.2020.00735. PMID: 32848915; PMCID: PMC7396625.

Schladitz K, Förster F, Löbner M, Welzel F, Stein J, Luppa M, Riedel-Heller SG. Trauer und Verlust bei älteren Menschen: Eine qualitative Studie zur Nutzungsakzeptanz eines internetbasierten Selbsthilfeprogramms aus Betroffenen - und Expertenperspektive [Grief and loss in elderly people: A qualitative study regarding the user acceptance of an internet-based self-help program from user and expert perspective]. *Z Evid Fortbild Qual Gesundhwes*. 2020 Apr;150-152:112-123. German. doi: 10.1016/j.zefq.2020.01.007. Epub 2020 May 24. PMID: 32460967.

Luppa M, Löbner M, Pabst A, Schlapke C, Stein J, Riedel-Heller SG. Effectiveness and feasibility of internet-based and mobile-based interventions for individuals

experiencing bereavement: a systematic review protocol. *BMJ Open*. 2020 Apr 22;10(4):e036034. doi: 10.1136/bmjopen-2019-036034. PMID: 32327480; PMCID: PMC7204864.

Heser K, Stein J, Luppa M, Wiese B, Mamone S, Weyerer S, Werle J, König HH, Hajek A, Scherer M, Stark A, Kaduszkiewicz H, Maier W, Riedel-Heller SG, Wagner M. Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. *J Gerontol B Psychol Sci Soc Sci*. 2020 Mar 9;75(4):811-820. doi: 10.1093/geronb/gby083. PMID: 29986090.

Hajek A, Brettschneider C, Lühmann D, van den Bussche H, Wiese B, Mamone S, Weyerer S, Werle J, Leve V, Fuchs A, Röhr S, Stein J, Bickel H, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, Pentzek M, König HH. Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe-AgeQualiDe prospective cohort study. *Aging Clin Exp Res*. 2020 Jan 31. doi: 10.1007/s40520-020-01482-7. Epub ahead of print. PMID: 32006387.

Hajek A, Brettschneider C, Scherer M, Stark A, Kaduszkiewicz H, Weyerer S, Werle J, Miebach L, Heser K, Wiese B, Mamone S, Stein J, Löbner M, Riedel-Heller SG, König HH. Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. *Aging Ment Health*. 2020 Oct;24(10):1763-1768. doi: 10.1080/13607863.2019.1673310. Epub 2019 Oct 8. PMID: 31591911.

Hajek A, Brettschneider C, Eisele M, Kaduszkiewicz H, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Weeg D, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe and AgeQualiDe Study Group. Correlates of hospitalization among the oldest old: results of the AgeCoDe-AgeQualiDe prospective cohort study. *Aging Clin Exp Res*. 2020 Jul;32(7):1295-1301. doi: 10.1007/s40520-019-01315-2. Epub 2019 Aug 17. PMID: 31422564.

Löbner M, Stein J, Rechenberg T, Förster F, Dorow M, Keller J, Weidauer E, Riedel-Heller SG. Nutzungsakzeptanz einer Online-Intervention zur Verbesserung depressiver Symptome bei Menschen mit Adipositas [User Acceptance of an Online-

Intervention for Improving Depressive Symptoms in Adults with Obesity - Results of a Pilot Study]. Psychiatr Prax. 2019 Nov;46(8):451-459. German. doi: 10.1055/a-0956-3775. Epub 2019 Aug 14. PMID: 31412371.

Förster F, Pabst A, Stein J, Röhr S, Löbner M, Heser K, Miebach L, Stark A, Hajek A, Wiese B, Maier W, Angermeyer MC, Scherer M, Wagner M, König HH, Riedel-Heller SG. Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). J Affect Disord. 2019 Sep 1;256:650-657. doi: 10.1016/j.jad.2019.06.047. Epub 2019 Jul 1. PMID: 31301630.

Hajek A, Brettschneider C, Eisele M, Lühmann D, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Weeg D, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe and AgeQualiDe Study Group. Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. Geriatr Gerontol Int. 2019 Aug;19(8):705-710. doi: 10.1111/ggi.13693. Epub 2019 Jun 24. PMID: 31237101.

Welzel FD, Stein J, Röhr S, Fuchs A, Pentzek M, Mösch E, Bickel H, Weyerer S, Werle J, Wiese B, Oey A, Hajek A, König HH, Heser K, Keineidam L, van den Bussche H, van der Leeden C, Maier W, Scherer M, Wagner M, Riedel-Heller SG. Prevalence of Anxiety Symptoms and Their Association With Loss Experience in a Large Cohort Sample of the Oldest-Old. Results of the AgeCoDe/AgeQualiDe Study. Front Psychiatry. 2019 May 8;10:285. doi: 10.3389/fpsyg.2019.00285. PMID: 31139097; PMCID: PMC6518947.

Löbner M, Dorow M, Pabst A, Stein J, Kersting A, Lupp M, König HH, Riedel-Heller S. Online-Selbstmanagement bei Depressionen – Die Beziehung von Dosis und Wirksamkeit im hausärztlichen Versorgungssetting [Online self-management of depression - Dose-response-relationship within a primary care setting]. Fortschr Neurol Psychiatr. 2019 Mar;87(3):181-186. German. doi: 10.1055/a-0849-9802. Epub 2019 Mar 19. PMID: 30891721.

Hajek A, Brettschneider C, Eisele M, van den Bussche H, Wiese B, Mamone S, Weyerer S, Werle J, Leve V, Pentzek M, Röhr S, Stein J, Bickel H, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe and AgeQualiDe Study Group. Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. *Arch Gerontol Geriatr.* 2019 May-Jun;82:245-250. doi: 10.1016/j.archger.2019.03.006. Epub 2019 Mar 7. PMID: 30877986.

Stein J, Bär JM, König HH, Angermeyer M, Riedel-Heller SG. Soziale Verlusterlebnisse und deren Zusammenhang mit Depressionen im hohen Alter – Ergebnisse der Leipziger Langzeitstudie in der Altenbevölkerung (LEILA 75+) [Social Loss Experiences and their Association with Depression in Old Age - Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+)]. *Psychiatr Prax.* 2019 Apr;46(3):141-147. German. doi: 10.1055/a-0596-9701. Epub 2018 May 25. PMID: 29801182.

Hohls JK, König HH, van den Bussche H, Eisele M, Wiese B, Oey A, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Röhr S, Mösch E, Bickel H, Heser K, Miebach L, Scherer M, Maier W, Riedel-Heller SG, Hajek A. Association of anxiety symptoms with health care use and costs in people aged 85 and over. *Int J Geriatr Psychiatry.* 2019 May;34(5):765-776. doi: 10.1002/gps.5089. Epub 2019 Mar 15. PMID: 30821399.

Stein J, Liegert P, Dorow M, König HH, Riedel-Heller SG. Unmet health care needs in old age and their association with depression - results of a population-representative survey. *J Affect Disord.* 2019 Feb 15;245:998-1006. doi: 10.1016/j.jad.2018.11.096. Epub 2018 Nov 19. PMID: 30699886.

Stein J, Dorow M, Liegert P, Pabst A, Riedel-Heller S. Camberwell Assessment of Need for the Elderly – CANE: Handbuch für die adaptierte deutsche Version. 1st ed. Köln: Psychiatrie Verlag; 2019. (Forschung fuer die Praxis - Hochschulschriften).

Schwenke M, Welzel FD, Luck-Sikorski C, Pabst A, Kersting A, Blüher M, König HH, Riedel-Heller SG, Stein J. Psychometric properties of the Patient Assessment of Chronic Illness Care measure (PACIC-5A) among patients with obesity. *BMC Health*

Serv Res. 2019 Jan 23;19(1):61. doi: 10.1186/s12913-019-3871-1. PMID: 30674311; PMCID: PMC6343299.

Richter D, Gühne U, Stein J, Weinmann S, Becker T, Riedel-Heller SG. [The Impact of Non-Pharmacologic Lifestyle Interventions in People with Severe Mental Illness - A Systematic Review]. Psychiatrische Praxis. 2018 Oct;45(7):347-357. doi: 10.1055/a-0677-7301. Epub 2018 Oct 10.

Förster F, Stein J, Löbner M, Pabst A, Angermeyer MC, König HH, Riedel-Heller SG. Loss experiences in old age and their impact on the social network and depression-results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). J Affect Disord. 2018 Dec 1;241:94-102. doi: 10.1016/j.jad.2018.07.070. Epub 2018 Jul 26. PMID: 30107351.

Alltag S, Stein J, Pabst A, Weyrer S, Werle J, Maier W, Miebach L, Scherer M, Stark A, Wiese B, Mamone S, König HH, Bock JO, Riedel-Heller SG for the AgeMooDe study group. Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. Aging and Mental Health. 2018 Aug;22(8):1032-1039. doi: 10.1080/13607863.2017.1328480. Epub 2017 May 19.

Hajek A, Brettschneider C, van den Bussche H, Lühmann D, Oey A, Wiese B, Weyrer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe & AgeQualiDe Study Groups. Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. Int J Geriatr Psychiatry. 2018 Oct;33(10):1383-1388. doi: 10.1002/gps.4949. Epub 2018 Jul 19. PMID: 30024054.

Welzel FD, Stein J, Pabst A, Luppa M, Kersting A, Blüher M, Luck-Sikorski C, König HH, Riedel-Heller SG. Five A's counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). BMC Family Practice. 2018; 19:97, <https://doi.org/10.1186/s12875-018-0785-7>.

Löbner M, Pabst A, Stein J, Dorow M, Matschinger H, Luppa M, Maroß A, Kersting A, König H-H, Riedel-Heller SG. Computerized cognitive behavior therapy for patients

with mild to moderately severe depression in primary care: a pragmatic cluster randomized controlled trial (@ktiv). Journal of Affective Disorders. 2018; 238, 317-326.

Dorow M, Löbner M, Pabst A, Stein J, Riedel-Heller SG. Preferences for Depression Treatment Including Internet-Based Interventions: Results From a Large Sample of Primary Care Patients. Front Psychiatry. 2018 May 17;9:181. doi: 10.3389/fpsyg.2018.00181. PMID: 29867605; PMCID: PMC5966543.

Brettschneider C, Hajek A, Stein J, Luck T, Mamone S, Wiese B, Mösch E, Weeg D, Fuchs A, Pentzek M, Werle J, Weyerer S, Mallon T, van den Bussche H, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. Informelle Pflege bei Demenz nach Leistungsarten [Informal care for dementia according to type of service]. Nervenarzt. 2018 May;89(5):509-515. German. doi: 10.1007/s00115-018-0511-7. PMID: 29637234.

Hajek A, Brettschneider C, van den Bussche H, Kaduszkiewicz H, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Heser K, Bleckwenn M, Scherer M, Riedel-Heller SG, Maier W, König HH. Longitudinal Analysis of Outpatient Physician Visits in the Oldest Old: Results of the AgeQualiDe Prospective Cohort Study. J Nutr Health Aging. 2018;22(6):689-694. doi: 10.1007/s12603-018-0997-5. PMID: 29806857.

Bock JO, Hajek A, Lühmann D, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Wagner M, Scherer M, Riedel-Heller SG, Maier W, König HH; für die AgeCoDe & AgeQualiDe Study Group. Unterschiede in Kognition, Depressivität und gesundheitsbezogener Lebensqualität zwischen Versicherten der GKV und PKV im hohen Alter [Health Insurance in Old Age and Differences in Cognition, Depressive Symptoms and Health-Related Quality of Life]. Psychiatr Prax. 2018 Apr;45(3):148-153. German. doi: 10.1055/s-0042-116219. Epub 2017 Jan 26. PMID: 28125847.

Dorow M, Stein J, Pabst A, Weyerer S, Werle J, Maier W, Miebach L, Scherer M, Stark A, Wiese B, Moor L, Bock JO, König HH, Riedel-Heller SG. Categorical and dimensional perspectives on depression in elderly primary care patients - Results of

the AgeMooDe study. *Int J Methods Psychiatr Res.* 2018 Mar;27(1):e1577. doi: 10.1002/mpr.1577. Epub 2017 Sep 25. PMID: 28948667; PMCID: PMC6877261.

Dorow M, Stein J, Förster F, Löbner M, Franz M, Günther R, Schröder R, Sommer D, Möller D, Dekoj MC, Becker T, Riedel-Heller SG. Der komplementäre Einsatz des internetbasierten Selbstmanagementprogramms „moodgym“ bei Menschen mit depressiven Erkrankungen in der stationären Versorgung – die Perspektive von Patienten und Behandlern [Implementation of the Internet-Based Self-Management Program "moodgym" in Patients with Depressive Disorders in Inpatient Clinical Settings - Patient and Expert Perspectives]. *Psychiatr Prax.* 2018 Jul;45(5):256-262. German. doi: 10.1055/s-0043-117049. Epub 2017 Aug 29. PMID: 28851000.

Stark A, Kaduszkiewicz H, Stein J, Maier W, Heser K, Weyerer S, Werle J, Wiese B, Mamone S, König HH, Bock JO, Riedel-Heller SG, Scherer M. A qualitative study on older primary care patients' perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. *BMC Family Practice.* 2018; Jan 3;19(1):2. doi: 10.1186/s12875-017-0684-3.

Stein J, Röhr S, Luck T, Löbner M, Riedel-Heller SG. Indikationen und Evidenz von international entwickelten Online-Coaches zur Intervention bei psychischen Erkrankungen – ein Meta-Review [Indication and Evidence of Internationally Developed Online Coaches as Intervention for Mental Illness - a Meta-Review]. *Psychiatrische Praxis.* 2018; Jan;45(1):7-15. doi: 10.1055/s-0043-117050. Epub 2017 Aug 29.

Welzel FD, Stein J, Hajek A, König HH, Riedel-Heller SG. Frequent attenders in late life in primary care: a systematic review of European studies. *BMC Family Practice.* 2017; Dec 20;18(1):104. doi: 10.1186/s12875-017-0700-7.

Röhr S, Stein J, Luck T, Riedel-Heller SG. Internetbasierte Interventionen: Das bieten deutsche Krankenkassen an. *Psychiatrische Praxis.* 2017; 44(8), 476-478.

Rost T, Stein J, Löbner M, Kersting A, Luck-Sikorski C, Riedel-Heller SG. User Acceptance of Computerized Cognitive Behavioral Therapy for Depression:

Systematic Review. Journal of Medical Internet Research. 2017;19(9):e309 DOI: 10.2196/jmir.7662.

Löbner M, Stein J, Luppa M, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, Angermeyer MC, König HH, Riedel-Heller SG. Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. PLoS One. 2017; Aug 22;12(8):e0183698. doi: 10.1371/journal.pone.0183698. eCollection 2017.

Stein J, Pabst A, Luck T, Lühmann D, Heser K, Jessen F, Bickel H, Mösch E, Pentzek M, Fuchs A, Wiese B, Mamone S, König HH, Brettschneider C, Werle J, Scherer M, Maier W, Weyerer S, Riedel-Heller SG for the AgeCoDe and AgeQualiDe Study Group. Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. Dementia and Geriatric Cognitive Disorders. 2017;44(1-2):71-83. doi: 10.1159/000478850. Epub 2017 Jul 25.

Hajek A, Brettschneider C, Mallon T, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Wagner M, Heser K, Maier W, Scherer M, Riedel-Heller SG*, König HH*. The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. Health and Quality of Life Outcomes. Health and Quality of Life Outcomes 2017; Jul 14;15(1):140. doi: 10.1186/s12955-017-0715-8.

Gühne U, Stein J, Schwarzbach M, Riedel-Heller SG. [Importance of Work and Employment in the Treatment of People with Mental Illness]. Psychotherapie Psychosomatik Medizinische Psychologie. 2017; 67(11):457-464. doi: 10.1055/s-0043-104855.

Alltag S, Nowossadeck S, Stein J, Hajek A, König HH, Riedel-Heller SG, Nowossadeck E. [Small Area Variation in Demographic Aging]. Psychiatrische Praxis. 2017; 44(7): 413-416. doi: 10.1055/s-0043-102151.

Löbner M, Stein J, Rost T, Förster F, Dorow M, Keller J, Weidauer E, Riedel-Heller SG. Innovative E-Health-Ansätze für komorbide Depressionen bei Patienten mit Adipositas: Nutzungsakzeptanz aus Patienten und Expertenperspektive [Innovative E-Health Approaches for Comorbid Depression in Patients with Obesity: Patient and Expert Perspectives on User Acceptance]. *Psychiatrische Praxis*. 2017; 44(5): 286-295. DOI: 10.1055/s-00000062.

Dorow M, Löbner M, Stein J, Kind P, Markert J, Keller J, Weidauer E, Riedel-Heller SG. Die Nutzungsbereitschaft von Patienten mit Adipositas gegenüber neuen Medien in der Rehabilitationsnachsorge [Willingness of Patients with Obesity to Use New Media in Rehabilitation Aftercare]. *Die Rehabilitation*. 2017; 56(3), 167–172.

Hajek A, Luck T, Brettschneider C, Posselt T, Lange C, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Bickel H, Mösch E, Wagner M, Heser K, Maier W, Scherer JM, Riedel-Heller SG, König HH. Factors Affecting Functional Impairment among Elderly Germans - Results of a Longitudinal Study. *The Journal of Nutrition Health and Aging*. 2017; 21(3):299-306. doi: 10.1007/s12603-016-0771-5.

Bock JO, Hajek A, Weyerer S, Werle J, Wagner M, Maier W, Stark A, Kaduszkiewicz H, Wiese B, Moor L, Stein J, Riedel-Heller SG, König HH. The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. *American Journal of Geriatric Psychiatry*. 2017 Feb; 25(2):131-141. doi: 10.1016/j.jagp.2016.10.011 .

Gühne U, Stein J, Weinmann S, Becker T, Riedel-Heller SG. [Housing Interventions in Severe Mental Illness - International Evidence from RCTs]. *Psychiatrische Praxis*. 2017; 44(4): 194-205. doi: 10.1055/s-0042-118594.

Dorow M, Löbner M, Stein J, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, König HH, Riedel-Heller SG. Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. *PLoS One*. 2017; Jan 20;12(1):e0170303. doi: 10.1371/journal.pone.0170303. eCollection 2017.

Hajek A, Brettschneider C, Eisele M, Lühmann D, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Heser K, Wagner M, Maier W, Scherer M, Riedel-Heller SG*, König HH*. Disentangling the complex relation of disability and depressive symptoms in old age – results of a longitudinal study. International Psychogeriatrics. 2017; 29 (6), 885-895.

Hajek A, Brettschneider C, Posselt T, Lange C, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Riedel-Heller SG, Stein J, Bickel H, Weeg D, Heser K, Wagner M, Maier W, Scherer M, Luck T, König HH (accepted, in press). How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. Age and Ageing. 2017; Feb; 14:1-8. doi: 10.1093/ageing/afx012.

Hajek A, Brettschneider C, Lühmann D, Eisele M, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Heser K, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH. Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. Journal of Nutrition, Health and Ageing. 2017; 21(6):692-698. doi: 110.1007/s12603-016-0768-0.

Luck-Sikorski, C, Stein, J, Heilmann, K, Maier, W, Kaduszkiewicz, H, Scherer, M, Weyerer, S, Werle, J, Wiese, B, Moor, L, Bock, J-O, König, H-H and Riedel-Heller, SG. Treatment preferences for depression in the elderly. International Psychogeriatrics. 2017; 29(3): 389-398.

Heser K, Bleckwenn M, Wiese B, Mamone S, Riedel-Heller SG, Stein J, Lühmann D, Posselt T, Fuchs A, Pentzek M, Weyerer S, Werle J, Weeg D, Bickel H, Brettschneider C, König HH, Maier W, Scherer M, Wagner M. Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. Journal of Alzheimer's Disease. 2016 Aug 1; 54(1):185-99. doi: 10.3233/JAD-160209.

Wolfsgruber S, Kleineidam L, Wagner M, Mösch E, Bickel H, Lühmann D, Ernst A, Wiese B, Steinmann S, König HH, Brettschneider C, Luck T, Stein J, Weyerer S, Werle

J, Pentzek M, Fuchs A, Maier W, Scherer M, Riedel-Heller SG, Jessen F,; AgeCoDe Study Group. Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. *Journal of Alzheimer's Disease*. 2016 Aug 24; 54(3): 1135-1146.

Hoell A, Weyerer S, Maier W, Wagner M, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, König HH, Bock JO, Stein J, Riedel-Heller SG. The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. *Journal of Affective Disorders*. 2016; 204: 247–254.

Stein J, Pabst A, Weyerer S, Werle J, Maier W, Miebach L, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, Moor L, Bock JO, König HH & Riedel-Heller SG. Unmet care needs of the oldest old with late-life depression: a comparison of patient, caring relative and general practitioner perceptions – Results of the AgeMooDe study. *Journal of Affective Disorders*. 2016; 205: 182-189.

Gühne U, Stein J, Riedel-Heller SG. [Depression in Old Age - Challenge of an Ageing Society] Depression im Alter – Herausforderung langlebiger Gesellschaften. *Psychiatrische Praxis*. 2016; 43(02): 107-110.

Dorow M, Löbner M, Stein J, Pabst A, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, König HH, Riedel-Heller SG. The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. *PLoS One*. 2016; 11(5):e0156647. doi: 10.1371/journal.pone.0156647. eCollection 2016.

Bock JO, Brettschneider C, Weyerer S, Werle J, Wagner M, Maier W, Scherer M, Kaduszkiewicz H, Wiese B, Moor L, Stein J, Riedel-Heller SG, König HH. Excess health care costs of late-life depression – Results of the AgeMooDe study. *Journal of Affective Disorders*. 2016; 199: 139–147.

Stein J, Pabst A, Weyerer S, Werle J, Maier W, Heilmann K, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, Mamone S, König HH, Bock JO, & Riedel-Heller SG. The assessment of met and unmet care needs in the oldest old with and without depression

using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe Study. *Journal of Affective Disorders*. 2016; 193: 309–317.

Hajek A, Brettschneider C, Ernst A, Posselt T, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Kleineidam L, Heser K, Maier W, Scherer M, Riedel-Heller SG, König HH. Einflussfaktoren auf die Pflegebedürftigkeit im Längsschnitt [Longitudinal Predictors of the Need for Care]. *Gesundheitswesen*. 2016; 79(2): 73-79.

Hajek A, Brettschneider C, Ernst A, Posselt T, Wiese B, Prokein J, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Riedel-Heller SG, Bickel H, Mösch E, Heser K, Jessen F, Maier W, Scherer M, König HH. Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. *Social Psychiatry and Psychiatric Epidemiology*. 2016; 51(4): 607-616.

Hajek A, Brettschneider C, Posselt T, Lange C, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Heser K, Jessen F, Maier M, Scherer M, Riedel-Heller SG, König HH for the AgeCoDe Study Group. Predictors of frailty in old age – Results of a longitudinal study. *The Journal of Nutrition, Health and Aging*. 2016; 20(9):952-957.

Hajek A, Brettschneider C, Lange C, Posselt T, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Wagner M, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH; AgeCoDe Study Group. Longitudinal Predictors of Institutionalization in Old Age. *PLoS One*. 2015; Dec 14;10(12):e0144203. doi: 10.1371/journal.pone.0144203. eCollection 2015.

Hajek A, Brettschneider C, Lange C, Posselt T, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Wolfsgruber S, Heser K, Maier W, Scherer M, Riedel-Heller SG, König HH. Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. *Quality of Life Research*. 2015; 25(5): 1159-1168.

Gühne U, Luppa M, Stein J, Wiese B, Weyerer S, Maier W, König HH, Riedel-Heller SG. „Die vergessenen Patienten“ – Barrieren und Chancen einer optimierten Behandlung depressiver Erkrankungen im Alter. *Psychiatrische Praxis*. 2015; 43(07): 387-394. DOI <http://dx.doi.org/10.1055/s-0035-1552639>.

Hajek A, Brettschneider C, Ernst A, Lange C, Wiese B, Prokein J, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Bickel H, Mösch E, Heser K, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH. Complex coevolution of depression and health-related quality of life in old age. *Quality of Life Research*. 2015; 24(11): 2713-22.

Gühne U, Stein J, Scherer M, Wiese B, Weyerer S, Maier W, König HH, Riedel-Heller SG. Need for Guideline Recommendations on Treatment of Late-Life Depression from the Perspective of Experts - Results of a Qualitative Study. *Fortschritte der Neurologie Psychiatrie*. 2015; 83: 232–237.

Stein J, Luppa M, König HH, Riedel-Heller SG. The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. *International Psychogeriatrics*. 2015; 27(11): 1919-1926.

Stein J, Luppa M, Kaduszkiewicz H, Eisele M, Weyerer S, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Pentzek M, Fuchs A, König HH, Brettschneider C, Heser K, Wagner M, Riedel-Heller SG, Scherer M, Maier W for the AgeCoDe Study Group. Is the short form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? *Psychological Assessment*. 2015; 27(3), 895-904.

Stein J, Luppa M, Ruzanska U, Sikorski C, König HH, Riedel-Heller SG. Measuring negative attitudes towards overweight and obesity in the German population – Psychometric properties and reference values for the German short version of the Fat Phobia Scale (FPS). *PlosOne*. 2014; Dec 4;9(12):e114641. doi: 10.1371/journal.pone.0114641. eCollection 2014.

Stein J, Luppa M, Mahnke J, Weyerer S, Schomerus G, Riedel-Heller SG. Depressionsscreening am Telefon mittels der Allgemeinen Depressionsskala (ADS) – Ergebnisse einer bevölkerungsrepräsentativen Erhebung. Psychiatrische Praxis. 2014; 41(3): 135-41.

Stein J, Luppa M, König HH, Riedel-Heller SG. Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell Assessment of Need for the Elderly (CANE) – a pilot study. International Psychogeriatrics. 2014; 26(2): 285-95.

Wolfsgruber S, Jessen F, Wiese B, Stein J, Bickel H, Mösch E, Weyerer S, Werle J, Pentzek M, Fuchs A, Köhler M, Bachmann C, Riedel-Heller SG, Scherer M, Maier W, Wagner M for the AgeCoDe study group. The CERAD Neuropsychological Assessment Battery Total Score detects and predicts Alzheimer disease dementia with high diagnostic accuracy. The American Journal of Geriatric Psychiatry. 2014; 22(19): 1017-1028.

Fuchs J, Scheidt-Nave C, Hinrichs T, Mergenthaler A, Stein J, Riedel-Heller SG, Grill E. Indicators for Healthy Ageing — A Debate. International Journal of Environmental Research and Public Health. 2013; 10(12): 6630-6644; doi:10.3390/ijerph10126630

Stein J, Luppa M. Media Screen: Allgemeine Depressionsskala (ADS). Psychiatrische Praxis. 2012; 39(06): 302-304 DOI: 10.1055/s-0032-1326702.

Luppa M, Riedel-Heller SG, Stein J, Leicht H, König HH, van den Bussche H, Maier W, Scherer M, Bickel H, Mösch E, Werle J, Pentzek M, Fuchs A, Eisele M, Jessen F, Tebarth F, Wiese B, Weyerer S for the AgeCoDe study group. Predictors of institutionalisation in incident dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe study). Dementia and Geriatric Cognitive Disorders. 2012; 33:282-288.

Stein J, Luppa M, Maier W, Tebarth F, Heser K, Scherer M, Zimmermann T, Eisele M, Bickel H, Mösch E, Weyerer S, Werle J, Pentzek M, Fuchs A, Wiese B, Prokein J, König HH, Leicht H, Riedel-Heller SG for the AgeCoDe study group. The assessment

of changes in cognitive functioning in the elderly: Age- and education-specific Reliable Change Indices for the SIDAM. *Dementia and Geriatric Cognitive Disorders*. 2012; 33:73–83.

Stein J, Luppa M, Maier W, Wagner M, Wolfsgruber S, Scherer M, Koehler M, Eisele M, Weyerer S, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Pentzek M, Fuchs A, Leicht H, König HH, Riedel-Heller SG for the AgeCoDe study group. Assessing cognitive changes in the elderly: Reliable Change Indices for the Mini-Mental State Examination. *Acta Psychiatrica Scandinavica*. 2012; 126: 208–218.

Stein J, Luppa M, Luck T, Maier W, Wagner M, Daerr M, van den Bussche H, Zimmermann T, Köhler M, Bickel H, Mösch E, Weyerer S, Kaufeler T, Pentzek M, Wiese B, Wollny A, König HH, Riedel-Heller SG for the AgeCoDe study group. The assessment of changes in cognitive functioning: Age-, education-, and gender-specific Reliable Change Indices (RCIs) for older adults tested on the CERAD-NP battery. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *The American Journal of Geriatric Psychiatry*. 2012; 20(1): 84-97.

Stein J, Hensel A, Luppa M, Luck T, Angermeyer MC, Riedel-Heller SG. Die Messung kognitiver Veränderung bei älteren Menschen: Veränderungsnormen für SISCO und MMST. *Klinische Diagnostik und Evaluation*. 2010; 3: 257-275.

Stein J, Luppa M, Brähler E, König HH, Riedel-Heller SG. The Assessment of Changes in Cognitive Functioning: Reliable Change Indices for Neuropsychological Instruments in the Elderly - A Systematic Review. *Dementia and Geriatric Cognitive Disorders*. 2010; 29: 275-286.

Luck T, Riedel-Heller SG, Wiese B, Stein J, Weyerer S, Werle J, Kaduszkiewicz H, Wagner M, Mösch E, Zimmermann T, Maier W, Bickel H, van den Bussche H, Jessen F, Fuchs A, Pentzek M für die AgeCoDe study group. CERAD-NP-Testbatterie: Alters-, geschlechts- und bildungsspezifische Normen ausgewählter Subtests - Ergebnisse der German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Zeitschrift für Gerontologie und Geriatrie*. 2009; 42: 372-384.