

Publications

Liebing AD, Rabe P, Krumbholz P, Zieschang C, Bischof F, Schulz A, Billig S, Birkemeyer C, Pillaiyar T, Garcia-Marcos M, **Kraft R**, Stäubert C (2025) Succinate receptor 1 signaling mutually depends on subcellular localization and cellular metabolism. *FEBS J* doi:10.1111/febs.17407

Röthe J, **Kraft R**, Ricken A, Kaczmarek I, Matz-Soja M, Winter K, Dietzsch AN, Buchold J, Ludwig MG, Liebscher I, Schöneberg T, Thor D (2024) The mouse adhesion GPCR GPR116/ADGRF5 has a dual function in pancreatic islets regulating somatostatin release and islet development. *Commun Biol* 7:104.

Kaczmarek I, Wower I, Ettig K, Kuhn C, **Kraft R**, Landgraf K, Körner A, Schöneberg T, Horn S, Thor D (2023) Identifying GPCRs involved in adipose tissue function using the innovative RNA-seq database FATTLAS. *iScience* 26:107841.

Peters A, Rabe P, Liebing AD, Krumbholz P, Nordström A, Jäger E, **Kraft R**, Stäubert C (2022) Hydroxycarboxylic acid receptor 3 and GPR84 – two metabolite-sensing G protein-coupled receptors with opposing functions in innate immune cells. *Pharmacol Res* 176:106047.

Rabe P, Liebing AD, Krumbholz P, **Kraft R**, Stäubert C (2022) Succinate receptor 1 inhibits mitochondrial respiration in cancer cells addicted to glutamine. *Cancer Lett* 526:91-102.

Peters A, Rabe P, Krumbholz P, Kalwa H, **Kraft R**, Schöneberg T, Stäubert C (2020) Natural biased signaling of hydroxycarboxylic acid receptor 3 and G protein-coupled receptor 84. *Cell Commun Signal* 18:31.

Röthe J, **Kraft R**, Schöneberg T, Thor D (2020) Exploring G protein-coupled receptor signaling in primary pancreatic islets. *Biol Proced Online* 22:4.

Stegner D, Hofmann S, Schuhmann MK, Kraft P, Herrmann AM, Popp S, Höhn M, Popp M, Klaus V, Post A, Kleinschnitz C, Braun A, Meuth SG, Lesch KP, Stoll G, **Kraft* R**, Nieswandt* B (2019) Loss of Orai2-mediated capacitative Ca²⁺ entry is neuro-protective in acute ischemic stroke. *Stroke* 50:3238-3245.

Röthe* J, Thor* D, Winkler J, Knierim AB, Binder C, Huth S, **Kraft R**, Rothemund S, Schöneberg T, Prömel S (2019) Involvement of the adhesion GPCRs latrophilins in the regulation of insulin release. *Cell Rep* 26:1573-1584.

Kraft R (2015) STIM and ORAI proteins in the nervous system. *Channels (Austin)* 9:235-243.

Michaelis M, Nieswandt B, Stegner D, Eilers J, **Kraft R** (2015) STIM1, STIM2, and Orai1 regulate store-operated calcium entry and purinergic activation of microglia. *Glia* 63:652-663.

Kallendrusch S, Kremzow S, Nowicki M, Grabiec U, Winkelmann R, Benz A, **Kraft R**, Bechmann I, Dehghani F, Koch M (2013) The G protein-coupled receptor 55 ligand L- α -lysophosphatidylinositol exerts microglia-dependent neuroprotection after excitotoxic lesion. *Glia* 61:1822-1831.

Wegner F, **Kraft R**, Busse K, Härtig W, Leffler A, Dengler R, Schwarz J (2012) Differentiated human midbrain-derived neural progenitor cells express excitatory strychnine-sensitive glycine receptors containing $\alpha 2\beta$ subunits. *PLoS One* 7:e36946.

- Grabiec* U, Koch* M, Kallendrusch S, **Kraft R**, Hill K, Merkwitz C, Ghadban C, Straiker A, Dehghani F (2012) The endocannabinoid N-arachidonoyldopamine (NADA) exerts neuroprotective effects after excitotoxic neuronal damage via cannabinoid receptor 1 (CB₁). *Neuropharmacology* 62:1797-1807.
- Ödemis V, Lipfert J, **Kraft R**, Hajek P, Abraham G, Hattermann K, Mentlein R, Engele J (2012) The presumed atypical chemokine receptor CXCR7 signals through Gi/o proteins in primary rodent astrocytes and human glioma cells. *Glia* 60:372-381.
- Günther C, Laube M, Liebert UG, **Kraft R** (2012) Differential regulation of voltage-gated Ca²⁺ currents and metabotropic glutamate receptor activity by measles virus infection in rat cortical neurons. *Neurosci Lett* 506:17-21.
- Hoffmann* A, Grimm* C, **Kraft R**, Goldbaum O, Wrede A, Nolte C, Hanisch UK, Richter-Landsberg C, Brück W, Kettenmann H, Harteneck C (2010) TRPM3 is expressed in sphingosine-responsive myelinating oligodendrocytes. *J Neurochem* 114:654-665.
- Wehrhahn J, **Kraft R**, Harteneck C, Hauschildt S (2010) Transient receptor potential melastatin 2 is required for lipopolysaccharide-induced cytokine production in human monocytes. *J Immunol* 184:2386-2393.
- Berna-Erro* A, Braun* A, **Kraft R**, Kleinschnitz C, Schuhmann MK, Stegner D, Wultsch T, Eilers J, Meuth SG, Stoll G, Nieswandt B (2009) STIM2 regulates capacitive Ca²⁺ entry in neurons and plays a key role in hypoxic neuronal cell death. *Sci Signal* 2:ra67.
- Wegner F, **Kraft R**, Busse K, Schaarschmidt G, Härtig W, Schwarz SC, Schwarz J (2009) Glutamate receptor properties of human mesencephalic neural progenitor cells: NMDA enhances dopaminergic neurogenesis in vitro. *J Neurochem* 111:204-216.
- Schaarschmidt* G, Schewtschik* S, **Kraft R**, Wegner F, Eilers J, Schwarz J, Schmidt H (2009) A new culturing strategy improves functional neuronal development of human neural progenitor cells. *J Neurochem* 109:238-247.
- Wegner F, **Kraft R**, Busse K, Härtig W, Schaarschmidt G, Schwarz SC, Schwarz J, Hevers W (2008) Functional and molecular analysis of GABA_A receptors in human midbrain-derived neural precursor cells. *J Neurochem* 107:1056-1069.
- Kraft R** (2007) The Na⁺/Ca²⁺ exchange inhibitor KB-R7943 potently blocks TRPC channels. *Biochem Biophys Res Commun* 361:230-236.
- Harteneck C, Frenzel H, **Kraft R** (2007) N-(p-aminocinnamoyl)anthranilic acid (ACA): a phospholipase A₂ inhibitor and TRP channel blocker. *Cardiovasc Drug Rev* 25:69-75.
- Reiter B, **Kraft R**, Günzel D, Fromm M, Zeissig S, Schulzke HJ, Harteneck C (2006) TRPV4-mediated regulation of epithelial permeability. *FASEB J* 20:1802-1812.
- Kraft R**, Grimm C, Frenzel H, Harteneck C (2006) Inhibition of TRPM2 cation channels by N-(p-aminocinnamoyl)anthranilic acid. *Br J Pharmacol* 148:264-273.
- Grimm* C, **Kraft* R**, Schultz G, Harteneck C (2005) Activation of the melastatin-related cation channel TRPM3 by D-erythro-sphingosine. *Mol Pharmacol* 67:798-805.

Kraft R, Harteneck C (2005) The mammalian melastatin-related transient receptor potential cation channels: an overview. *Pflügers Arch* 451:204-211.

Kraft R, Grimm C, Grosse K, Hoffmann A, Sauerbruch S, Kettenmann H, Schultz G, Harteneck C (2004) Hydrogen peroxide and ADP-ribose induce TRPM2-mediated calcium influx and cation currents in microglia. *Am J Physiol Cell Physiol* 286:C129-C137.

Patt S, Preussat K, Beetz C, **Kraft R**, Schrey M, Kalff R, Schönherr K, Heinemann SH (2004) Expression of ether á go-go potassium channels in human gliomas. *Neurosci Lett* 368:249-253.

Grimm* C, **Kraft* R**, Sauerbruch S, Schultz G, Harteneck C (2003) Molecular and functional characterization of the melastatin-related cation channel TRPM3. *J Biol Chem* 278:21493-21501.

Preussat K, Beetz C, Schrey M, **Kraft R**, Wölfl S, Kalff R, Patt S (2003) Expression of Kv1.3 and Kv1.5 potassium channels in human gliomas. *Neurosci Lett* 346:33-36.

Kraft R, Krause P, Jung S, Basrai D, Liebmann L, Bolz J, Patt S (2003) BK channel openers inhibit migration of human glioma cells. *Pflügers Arch* 446:248-255.

Basrai D, **Kraft R**, Bollensdorff C, Liebmann L, Benndorf K, Patt S (2002) BK channel blockers inhibit potassium-induced proliferation of human astrocytoma cells. *Neuroreport* 13:403-407.

Schrey M, Codina C, **Kraft R**, Beetz C, Kalff R, Wölfl S, Patt S (2002) Molecular characterization of voltage-gated sodium channels in human gliomas. *Neuroreport* 13:2493-2498.

Kraft R, Basrai D, Benndorf K, Patt S (2001) Serum deprivation and NGF induce and modulate voltage-gated Na⁺ currents in human astrocytoma cell lines. *Glia* 34:59-67.

Kraft R, Benndorf K, Patt S (2000) Large conductance Ca²⁺-activated K⁺ channels in human meningioma cells. *J Membr Biol* 175:25-33.

Patt S, Steenbeck J, Hochstetter A, **Kraft R**, Huonker R, Haueisen R, Haberland N, Ebmeier K, Hliscs R, Fiehler J, Nowak H, Kalff R (2000) Source localization and possible causes of interictal epileptic activity in tumor-associated epilepsy. *Neurobiol Dis* 7:260-269.

Codina* C, **Kraft* R**, Pietsch T, Prinz M, Steinhäuser C, Cervós-Navarro J, Patt S (2000) Voltage- and γ -aminobutyric acid-activated membrane currents in the human medulloblastoma cell line MHH-MED-3. *Neurosci Lett* 287:53-56.

Kaufmann R, Patt S, Zieger M, **Kraft R**, Tausch S, Henklein P, Nowak G (2000) The two-receptor system PAR-1/PAR-4 mediates α -thrombin-induced [Ca²⁺]_i mobilization in human astrocytoma cells. *J Cancer Res Clin Oncol* 126:91-94.

Kaufmann R, Patt S, Zieger M, **Kraft R**, Nowak G (1999) Presence of the proteinase-activated receptor-2 (PAR-2) in human brain tumor cells - trypsin- and SLIGRL-induced calcium response in primary cultured meningiomas. *Cancer Lett* 139:109-113.

Kaufmann R, Patt S, **Kraft R**, Zieger M, Henklein P, Neupert G, Nowak G (1999) PAR 1-type thrombin receptors are involved in thrombin-induced calcium signaling in human meningioma cells. *J Neurooncol* 42:131-136.

Book chapters, dissertation, habilitation

Kraft R (2021) Patch Clamp Method. In: An Introduction to Molecular Biotechnology: Fundamentals, Methods and Applications, 3rd Edition. Wink (Ed.), Wiley-VCH, Weinheim, 181-185.

Kraft R (2011) Patch-Clamp-Technik. In: Molekulare Biotechnologie: Konzepte und Methoden, 2. Auflage. Wink (Ed.), Wiley-VCH, Weinheim, 187-191.

Kraft R (2010) Regulation zellulärer Funktionen durch Calcium-aktivierte und Calcium-permeable Kationenkanäle. Universität Leipzig (Habilitation).

Kraft R, Patt S (2006) The Patch Clamp Method. In: An Introduction to Molecular Biotechnology. Ed. Wink, M., Wiley-VCH, Weinheim, 237-243.

Kraft R, Patt S (2004) Patch-Clamp-Technik. In: Molekulare Biotechnologie. Hrsg. Wink, M., Wiley-VCH, Weinheim, 247-254.

Kraft R (2001) Spannungsabhängige Ionenkanäle in humanen Hirntumorzellen. Logos Verlag, Berlin (Dissertation).